

# Low Voltage Lampholders



- ▶ Up to 50V
- ▶ MES or MBC bulb
- ▶ Flat and domed lens
- ▶ Brass or nylon bodies
- ▶ Red, Amber, Green, Blue and Clear lenses

**RoHS**

**RoHS compliant**

Bulbs will be supplied (dependant on order quantity) if a voltage is specified. These lampholders are suitable for up to 50V max.

Colours - Red, Amber, Green, (Clear & Blue, check availability). Brass bodies have polished chrome finish.


For Neon & Mains versions see page 75  
For Sealed version see page 84

C1090FP - - -



▶ TERMINAL	▶ LAMP CAP	▶ LENS	▶ THREADED BODY																																			
<p><b>C</b></p> <p>6.3 x 0.8 9.1</p>	<p><b>1090</b> MES (E10)</p>	<p><b>F</b> Flat</p>	<p><b>1090 (MES lamps)</b></p> <table border="1"> <thead> <tr> <th></th> <th>Panel Hole Dia.</th> <th>Body Material</th> <th>Dim. A</th> <th>Dim. B</th> </tr> </thead> <tbody> <tr> <td><b>A</b></td> <td>19.0</td> <td>Brass</td> <td>35.0</td> <td>22.0</td> </tr> <tr> <td><b>D</b></td> <td>19.0</td> <td>Brass</td> <td>30.2</td> <td>22.0</td> </tr> <tr> <td><b>E</b></td> <td>19.0</td> <td>Nylon with chrome bezel</td> <td>30.2 30.2</td> <td>22.0 22.8</td> </tr> <tr> <td><b>G</b></td> <td>19.0</td> <td>Brass</td> <td>24.6</td> <td>22.0</td> </tr> <tr> <td><b>H</b></td> <td>19.0</td> <td>Nylon with chrome bezel</td> <td>24.6 24.6</td> <td>22.0 22.8</td> </tr> <tr> <td><b>L</b></td> <td>25.4</td> <td>Brass</td> <td>26.0</td> <td>31.5</td> </tr> </tbody> </table>		Panel Hole Dia.	Body Material	Dim. A	Dim. B	<b>A</b>	19.0	Brass	35.0	22.0	<b>D</b>	19.0	Brass	30.2	22.0	<b>E</b>	19.0	Nylon with chrome bezel	30.2 30.2	22.0 22.8	<b>G</b>	19.0	Brass	24.6	22.0	<b>H</b>	19.0	Nylon with chrome bezel	24.6 24.6	22.0 22.8	<b>L</b>	25.4	Brass	26.0	31.5
	Panel Hole Dia.	Body Material	Dim. A	Dim. B																																		
<b>A</b>	19.0	Brass	35.0	22.0																																		
<b>D</b>	19.0	Brass	30.2	22.0																																		
<b>E</b>	19.0	Nylon with chrome bezel	30.2 30.2	22.0 22.8																																		
<b>G</b>	19.0	Brass	24.6	22.0																																		
<b>H</b>	19.0	Nylon with chrome bezel	24.6 24.6	22.0 22.8																																		
<b>L</b>	25.4	Brass	26.0	31.5																																		
<p><b>T</b></p> <p>Ø2.0 4.8 9.1 Solder</p>	<p><b>1091</b> MBC (BA9s) (C and S Terminals only)</p>	<p><b>V</b> Domed</p>	<p><b>1091 (MBC lamps)</b></p> <table border="1"> <thead> <tr> <th></th> <th>Panel Hole Dia.</th> <th>Body Material</th> <th>Dim. A</th> <th>Dim. B</th> </tr> </thead> <tbody> <tr> <td><b>B</b></td> <td>19.0</td> <td>Brass</td> <td>36.0</td> <td>22.0</td> </tr> <tr> <td><b>C</b></td> <td>19.0</td> <td>Nylon</td> <td>36.6</td> <td>22.0</td> </tr> <tr> <td><b>Q</b></td> <td>19.0</td> <td>Nylon (+ chrome trim)</td> <td>36.6</td> <td>22.8</td> </tr> <tr> <td><b>M</b></td> <td>25.4</td> <td>Brass</td> <td>38.1</td> <td>31.5</td> </tr> </tbody> </table>		Panel Hole Dia.	Body Material	Dim. A	Dim. B	<b>B</b>	19.0	Brass	36.0	22.0	<b>C</b>	19.0	Nylon	36.6	22.0	<b>Q</b>	19.0	Nylon (+ chrome trim)	36.6	22.8	<b>M</b>	25.4	Brass	38.1	31.5										
	Panel Hole Dia.	Body Material	Dim. A	Dim. B																																		
<b>B</b>	19.0	Brass	36.0	22.0																																		
<b>C</b>	19.0	Nylon	36.6	22.0																																		
<b>Q</b>	19.0	Nylon (+ chrome trim)	36.6	22.8																																		
<b>M</b>	25.4	Brass	38.1	31.5																																		
<p><b>S</b></p> <p>9.1 Screw and Calmp</p>		<p><b>L</b> No lens</p>	<p>Panel thickness 5.0, except A type body 10.0</p>																																			

## DIMENSIONS mm



## OPTIONS

### F0445 M0

P.V.C. Insulating terminal cover.

